

# 60 + YEARS

## YAMAHA MOTOR CORPORATION

With Yamaha, every challenge is an opportunity for adventure with our rich pedigree of motor vehicles, including snowmobiles, scooters, ATVs, personal watercraft vehicles and so much more.



BOATS



MARINE ENGINES



GENERATORS



RECREATIONAL VEHICLES



MOTORCYCLES



WAVERUNNERS®



ALL-TERRAIN VEHICLES



SNOWMOBILES



INTELLIGENT MACHINERY



POWER ASSIST BICYCLES



REMOTELY PILOTED HELICOPTERS



UMAX® OVERVIEW ..... 4-7 UMAX® BISTRO ..... 12-13 PARTS AND ACCESSORIES ..... 22-45  
 UMAX® ONE + TWO ..... 8-9 UMAX® RANGE PICKER ..... 14-15 SPECIFICATIONS ..... 46-51  
 UMAX® RALLY ..... 10-11 UMAX® RALLY<sup>250</sup> ..... 18-21

Shown with optional Yamaha Genuine Accessories.



## HARDWORKING FEATURES YIELD EFFICIENT RESULTS, DAY AFTER DAY

With five color options, four-wheel brakes, luxurious bucket seats, an under-hood storage compartment and large 20" tires, all with the quietness of a golf car, you can see the difference when power, performance, versatility and comfort matter.

### MAXIMIZE YOUR EFFORTS WITH A UMAX® DUMP BED

Featuring an effortless dump bed lock, you can easily unlock the bed for quick unloading. Your maintenance team will also enjoy more volume than ever before with a capacity of 10.4 cubic feet and a max load of 300 lbs in our UMAX One and 12.9 cubic feet and a max load of 800 lbs in our UMAX Two.



### EASY ACCESS ENGINE COMPARTMENT

There's no need to remove the dump bed.



### CONVENIENT SIDE-FILL GAS TANK

Makes for a quick, efficient fill-up.



### UNDER-HOOD STORAGE COMPARTMENT

Sizeable storage area designed for convenience.



### INNOVATIVE TOP

Keep weather protection a priority with this advanced top layer.



### EASY ONE-HAND TAILGATE RELEASE

Swiftly open and close the tailgate.



### AUTOMOTIVE-STYLE DASH

Completely redesigned for today's professional.



### LUXURIOUS BUCKET SEATS

Derived from our award-winning Viking® Side-by-Side, you can enjoy a comfortable ride with support that will last your entire work day.



**SEE MORE ONLINE!**  
Scan now to watch all the UMAX features in action.

Metallic	Coral Red
Metallic	Bluestone
Metallic	Evergreen
Metallic	Carbon
	Glacier

AVAILABLE COLORS

**UMAX** ONE & TWO

# GET THE JOB DONE WITH PREMIUM POWER AND TORQUE

Our UMAX® lineup was expertly designed to get the job done, however big or small. Build your ideal vehicle using our robust range of custom options to ensure you get the most out of your work day.



WITH THE DFK UMAX  
HARD CAB ENCLOSURE  
ADD-ON, RIDERS WILL  
ENJOY THE CONVENIENCE  
AND PROTECTION FROM  
THE ELEMENTS WITH  
EASY-OPEN SIDE DOORS.

KEEP TOOLS AT-THE-READY WITH OUR FUSIONFIT ACCESSORY SYSTEM



8 Shown with optional Yamaha Genuine Accessories.




**UMAX  
ONE**

AVAILABLE IN GAS

**UMAX  
TWO**

AVAILABLE IN GAS  
AND ELECTRIC

Shown with optional Yamaha Genuine Accessories.



**BUILD YOUR CUSTOM UMAX® WITH  
VIBRANT COLOR OPTIONS**

CORAL RED

BLUESTONE

EVERGREEN

CARBON

GLACIER



**CORAL RED**  
Metallic



**BLUESTONE**  
Metallic



**EVERGREEN**  
Metallic



**CARBON**  
Metallic



**GLACIER**

FUSIONFIT™ ACCESSORY SYSTEM

FUSIONFIT™

Yamaha's exclusive FusionFit™ Bed Attachment Kit is the base that will keep your rakes, shovels, edgers, trimmers and other long-handled tools always at-the-ready, our accessory designers and engineers worked with our teams to create precise integrations that guarantee the unique fitment your Yamaha deserves.

Using CAD modeling, FusionFit features meticulous mounting points per unit per accessory that ensures the most accurate installation system possible. FusionFit™ allows for the tightest tolerances that are unmatched and impossible to replicate with aftermarket products.



UMAX FusionFit™ Bed Attachment Kit

Our FusionFit™ Bed Attachment Kit will help keep your rakes, shovels, guns, bows and other long-handled tools always at-the-ready. Yamaha's FusionFit™ accessory system provides a workable design that allows you to "click and go" with only a quarter turn. An integrated padlock slot gives you the option to easily secure your cargo and go. Fits 2015-2020 UMAX One/Two, UMAX One/Two Rally, UMAX Range Picket and UMAX One/Two with Hard Cab models. Sold in pairs.

J06-F34A0-V0-00

**NOTE:** Requires use of the separately sold ATV/TEK V-Grip™ or ATV/TEK FlexGrip™ or ATX/TEK Elite Series Cam-Lock Grip. (Both are available in singles and doubles). Visit [ShopYamaha.com](http://ShopYamaha.com) to see all options and pricing.



Visit [www.shopyamaha.com](http://www.shopyamaha.com) for the full line of Yamaha Genuine Accessories - **Don't Expect it. Demand it!**

FUSIONFIT™ ACCESSORY SYSTEM



ATV/TEK V-Grip™

The ATV/TEK V-Grip™ offers a true custom fit for whatever tool you find yourself needing to carry. With effortless installation, unmatched versatility, and a rock-solid mounting base, the V-Grip™ design isolates recoil and vibration ensuring your tools stay where you put them. Single Kit includes (2) grips, (2) mounting bases, (2) rubber snubbers and all necessary hardware. Fits with UMAX FusionFit™ Bed Attachment. Double kits contain (2) Single Kits in addition to the sliding "T"-Bracket for ultimate adjustability.

V-Grip SINGLE

ABA-VF620-00-00

**NOTE:** Requires a UMAX FusionFit™ Bed Attachment Kit.



ATV/TEK FlexGrip™ PRO

The ATV/TEK FlexGrip™ PRO provides an additional 16" of side-to-side (8" per side), horizontal adjustment and offers a true, custom fit with increasing rigidity for whatever tool you find yourself needing to carry. Finger-adjustable knobs allow for quick, tool-free adjustments on the fly. Single kit includes (2) grips, (2) mounting bases, (2) rubber snubbers and all necessary hardware. Fits with UMAX FusionFit™ Bed Attachment. Double kits contain (2) Single Kits in addition to the sliding "T"-Bracket for ultimate adjustability.

FLEXGrip PRO SINGLE

ABA-FFG20-00-00

FLEXGrip PRO DOUBLE

ABA-FFG20-00-00




This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. This document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services.



# MAXIMUM VISIBILITY

Minimum Energy Used

YAMAHA STANDARD



Bright, wide light field with long sight distance.

## YAMAHA LIGHTS THE WAY

Nothing stays the best unless it evolves. What drives us? Our unwavering dedication to innovate the best for our customers.

We upgraded our standard so that our golf utility carts now come with LED headlights and an optional LED Backlit Yamaha Logo Light (pg. 35), for a brighter ride.

Now more powerful than ever before, our lights deliver exceptionally less drain on batteries and produce double-to-triple the amount of visibility. With Yamaha, you can enjoy your ride confidently, even after the sun sets.

### THE UMAX LIGHT SYSTEM



LED FRONT LOGO



LED HEADLIGHTS



LED TURN SIGNALS



LED TAILLIGHTS

PROTECTION



UMAX Cargo Bed Mat

Keep your cargo bed in "fresh out of the box" condition with our wear-resistant, durable Cargo Bed Mat. Made from a proprietary 10mm-thick, reinforced, engineered rubber that slows bed wear as it reduces noise and resonance when transporting cargo. Also, the mat's rough-and-tough styling perfectly matches your UMAX vehicle's look while the aggressive lug pattern helps prevent cargo from sliding. Fits 2019-2024 UMAX Rally One EFI and UMAX Rally Two EFI/AC models.

**JOG-F7302-V0-00**

**NOTE:** Fits UMAX Two models vs. 3. Cutting of mat required to fit UMAX One EFI models.



UMAX Front Brush Guards

Venture on and off the trail with the added protection of one of our front brush guards that seamlessly integrates with the front profile of your UMAX. Additionally, protect the bold look of the grill, hood and cowl longer. Fits all 2019-2024 UMAX Rally models.

**SPORT FRONT BRUSH GUARD**

**JOG-FB500-V0-00**

**SPORT FRONT BRUSH GUARD WITH HEADLIGHT PROTECTION**

**JOG-FB570-R0-00**

**PRO TIP!** For even more protection from brush and debris, add the Rear Tubular Brush Guard (JOG-FB600-S0-00) and Side Steps (JOG-F11E0-V0-00), sold separately.

**NOTE:** Will not work with Range-Picker Mount.

PROTECTION



UMAX Rear Arm Skid Plate

Tackle rugged, off-course terrain with confidence after installing our Rear Arm Skid Plate to help guard against obstructive debris from hammering your transaxle—all while perfecting your UMAX vehicle's tough styling. Fits all 2019-2024 UMAX and UMAX Rally models.

**JOG-F21A0-V0-00**



DEFENDER JR.



DEFENDER

UMAX Fender Flares

Guard yourself and your UMAX from even more debris with our wide, off-road, four-piece fender flare kit designed and engineered to perfectly match your Yamaha in every way.

Fits all 2019-2024 UMAX Two, UMAX Bistro, and UMAX Rally models - Defender (Wide)

**JOG-F15E0-T0-00**

Fits all 2019-2024 UMAX and UMAX Rally models-Defender Jr. (Narrow) (Narrow)

**JOG-F15E0-V0-00**

**NOTE:** Use of 2" tall tires requires 20mm lift.

## UMAX ONE EFI

DIMENSIONS	
OVERALL LENGTH	111.45 in (2831.6cm)
OVERALL HEIGHT (NO SUN TOP)	48.54 in (123.3cm)
OVERALL HEIGHT (WITH SUN TOP)	74.02 in (188 cm)
OVERALL WIDTH	49.33 in (125.3cm)
WHEELBASE	66.18 in (168.1cm)
FRONT WHEEL TREAD	39.96 in (101.5cm)
REAR WHEEL TREAD	40.19 in (102.1cm)
MINIMUM GROUND CLEARANCE	4.56 in (11.6cm)
CURB WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE)	452 kg (997 lb)
GENERAL	
FUEL TANK CAPACITY	5.2 US GAL (20 LITERS)
TIRE SIZE	20x10-10 4-ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Glacier Metallic: Carbon, Evergreen
AVAILABLE SEAT COLORS	Black
AVAILABLE SUN TOP COLORS	Black
WARRANTY	Standard 2-year limited vehicle warranty
STANDARD RECEIVER HITCH	2"

## ENGINE / DRIVE TRAIN

ENGINE TYPE	Yamaha-built 402cc, Low Emission Single Cylinder 60deg Incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY	1.16 U.S. quart (1.1 liter, 110cc), Yamalube 10W-30
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
FUEL SYSTEM	Electronic fuel injection
STARTING SYSTEM	Starter generator with pedal start system
HORSEPOWER	3600 rpm (14.25 hp)

## CHASSIS

FRAME	HybiCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tri-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
CARGO BED MAX LOAD	300 lb
ROLLING TRAILER MAX WEIGHT	900 lb
MAX TONGUE WEIGHT	100 lb
VEHICLE RATED CAPACITY	900 lb
CARGO BED DIMENSIONS	33.2" L x 45.9" W x 11.9" H
PERFORMANCE	
MAX FORWARD SPEED	17.5 mph (28 km/h)
MAX REVERSE SPEED	13.1 mph (21 km/h)
MINIMUM TURNING RADIUS	3.48 m
G.V.W.	1,708 lb

## UMAX TWO EFI

DIMENSIONS	
OVERALL LENGTH	119.37 in (3032.6cm)
OVERALL HEIGHT (NO SUN TOP)	48.54 in (123.3cm)
OVERALL HEIGHT (WITH SUN TOP)	74.02 in (188 cm)
OVERALL WIDTH	49.33 in (125.3cm)
WHEELBASE	77.2 in (196.1cm)
FRONT WHEEL TREAD	40.27 in (102.3cm)
REAR WHEEL TREAD	40.19 in (102.1cm)
MINIMUM GROUND CLEARANCE	4.52 in (11.5cm)
CURB WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE)	493 kg (1064 lb)
GENERAL	
FUEL TANK CAPACITY	5.2 US GAL (20 LITERS)
TIRE SIZE	20x10-10 4-ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Glacier Metallic: Carbon, Evergreen
AVAILABLE SEAT COLORS	Black
AVAILABLE SUN TOP COLORS	Black
WARRANTY	Standard 2-year limited vehicle warranty
STANDARD RECEIVER HITCH	2"

## ENGINE / DRIVE TRAIN

ENGINE TYPE	Yamaha-built 402cc, Low Emission Single Cylinder 60deg Incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY	1.16 U.S. quart (1.1 liter, 110cc), Yamalube 10W-30
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
FUEL SYSTEM	Electronic fuel injection
STARTING SYSTEM	Starter generator with pedal start system
HORSEPOWER	3600 rpm (14.25 hp)

## CHASSIS

FRAME	HybiCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tri-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes
CARGO BED MAX LOAD	800 lb
ROLLING TRAILER MAX WEIGHT	1,200 lb
MAX TONGUE WEIGHT	150 lb
VEHICLE RATED CAPACITY	1,500 lb
CARGO BED DIMENSIONS	41.1" L x 45.9" W x 11.9" H
PERFORMANCE	
MAX FORWARD SPEED	17.5 mph (28 km/h)
MAX REVERSE SPEED	13.1 mph (21 km/h)
MINIMUM TURNING RADIUS	3.98 m
G.V.W.	2,535 lb

## UMAX TWO AC

DIMENSIONS	
OVERALL LENGTH	119.37 in (3032.6 cm)
OVERALL HEIGHT (NO SUN TOP)	48.54 in (123.3 cm)
OVERALL HEIGHT (WITH SUN TOP)	74.02 in (188 cm)
OVERALL WIDTH	49.33 in (125.3 cm)
WHEELBASE	77.2 in (196.1 cm)
FRONT WHEEL TREAD	40.27 in (102.3 cm)
REAR WHEEL TREAD	40.19 in (102.1 cm)
MINIMUM GROUND CLEARANCE	4.52 in (11.5 cm)
CURB WEIGHT (WITH SUN TOP)	658 kg (1451 lb)
GENERAL	
TIRE SIZE	20 x 10 - 10 4-ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Glacier Metallic: Carbon, Evergreen
AVAILABLE SEAT & SUN TOP COLOR	Black
WARRANTY	Standard 2-year limited vehicle warranty
STANDARD RECEIVER HITCH	2"

## ENGINE / DRIVE TRAIN

MOTOR	48-volt AC
OUTPUT RATING	6.7 hp (5.0 kW FOR 60 minutes)
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-105 Batteries

## CHASSIS

FRAME	HybiCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tri-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes
CARGO BED MAX LOAD	800 lb
ROLLING TRAILER MAX WEIGHT	1,200 lb
MAX TONGUE WEIGHT	150 lb
VEHICLE RATED CAPACITY	1,500 lb
CARGO BED DIMENSIONS	41.1" L x 45.9" W x 11.9" H
PERFORMANCE	
MAX FORWARD SPEED	17.5 mph (28 km/h)
MAX REVERSE SPEED	6.2 mph (10 km/h)



GET THE JOB DONE  
WITH RELIABLE POWER  
AND VERSATILITY.

